

**Introducing the SUTENT
Patient Call Center.**

 **SUTENT**[®]
sunitinib malate

We're here to support you.

Dealing with cancer is a journey. Along the way, you may have questions about SUTENT® (sunitinib malate). That's why we created the SUTENT Patient Call Center. A place where you can get information about SUTENT and its potential side effects from trained Oncology Nurse Consultants. While these Oncology Consultants do not provide medical advice, they can give you additional details about SUTENT.

Think of the SUTENT Patient Call Center as a complement to your treatment team. Our Oncology Consultants can provide you with additional support. They can even call you at key points along your treatment path.

The SUTENT Patient Call Center will never replace your doctor or nurses. To get in touch with us, call 1-877-5-SUTENT (1-877-578-8368).





SUTENT
sunitinib malate

The SUTENT Patient Call Center.

1-877-5-SUTENT
(1-877-578-8368)

Call for more information about SUTENT.

The SUTENT Patient Call Center is ready to help.

Tear off the attached wallet card and keep our number handy.



SUTENT
sunitinib malate

Please see full prescribing information in pocket.

The SUTENT Patient Call Center.

Hours:

P.T. 6 a.m. – 5 p.m., Monday through Friday

M.T. 7 a.m. – 6 p.m., Monday through Friday

C.T. 8 a.m. – 7 p.m., Monday through Friday

E.T. 9 a.m. – 8 p.m., Monday through Friday



SUTENT is used to treat advanced kidney cancer (advanced renal cell carcinoma or RCC).

SUTENT is used to treat GIST (gastrointestinal stromal tumor). This is a rare cancer of the stomach, bowel, or esophagus. SUTENT is used when the medicine Gleevec® (imatinib mesylate) did not stop the cancer from growing or when you cannot take Gleevec.

Important Safety Information

SUTENT may harm an unborn baby (cause birth defects). Do not become pregnant. If you do, tell your doctor right away. Stop taking SUTENT. Do not breastfeed while taking SUTENT.

SUTENT may cause heart problems. Tell your doctor if you feel very tired, are short of breath, feel faint or dizzy, or have swollen feet and ankles.

In rare cases, SUTENT may cause a hole in the stomach or bowel wall or bleeding from the tumor. This could cause symptoms such as painful, swollen abdomen, vomiting or coughing blood, and black, sticky stools. Your doctor can tell you other symptoms to watch for.

SUTENT may increase blood pressure. Your doctor may check your blood pressure, and may treat you for it.

SUTENT may interact with other treatments or products. Tell your doctor or nurse about each medicine, vitamin, or herbal product that you use. Do not take St. John's Wort, eat grapefruit, or drink grapefruit juice while taking SUTENT.

You may have side effects or reactions to SUTENT. For most patients, these are moderate and may be managed, though some can be serious. Your doctor may change your dose or stop your treatment. Some of the most common side effects include fatigue, diarrhea, nausea, vomiting, mouth sores, upset stomach, abdominal pain, constipation, skin or hair changes, taste changes, swelling, loss of appetite, and bleeding, such as from the nose or cuts. Call your doctor if you have any swelling or bleeding. Be sure to tell your doctor or nurse about any new side effects you have, as well as any change or increase in any side effect.

Please see full prescribing information enclosed.

